



WET USA Inc.

316 Roma Jean Pkwy, Streamwood, IL 60107
tel 630-540-2113 • fax 630-540-2117
www.wet-usa.com • info@wet-usa.com

PRODUCT BULLETIN

WET-6L30
BIO-AUGMENTATION

DESCRIPTION

Biological formulation for treatment of commercial drain lines and grease interceptors

WET-6L30 is a specialized blend of liquid bacterial culture and surfactants specifically selected and adapted to produce enzymes necessary for the degradation of typical grease trap, drain line or septic wastes. The bacteria in this product produce various enzymes that are essential in breaking down a wide range of organic commonly found in institutional waste. Some of those enzymes include amylase (starches), lipase (fats, oil, and grease), protease (proteins), and cellulase (cellulose). WET-6L30 Series has been used successfully in numerous restaurants, hospitals, schools, and other institutions.

BENEFITS

- Reduces frequency of pumping
- Reduces odor
- Reduces solids in leaching fields
- Environmentally friendly
- Degrades a wide range of organic compounds
- Contains facultative anaerobes which degrade with or without oxygen
- Degrades detergents and soaps
- More resistant to chlorine bleaches than other bacterial products
- Contains a surfactant to help liquefy solid grease
- Available in liquid form

APPLICATIONS

- Grease Traps
- Drain Lines
- Septic Systems
- Waste Sumps
- Beverage Towers
- Retention Tanks

DOSAGE

Grease Traps and Drain Lines

For a 1000 gallon grease trap the minimum dosage is 16 oz of WET-6L30 per day. The grease trap should be pumped out prior to dosing (in order for the product to be most effective).

Septic Systems

For a 1000 gallon septic tank the minimum dosage is 16 oz of WET-6L30 per week. The product can be applied to drain lines, toilets or grease traps directly.

WET-6L30 Series

TYPICAL PROPERTIES

Solubility in Water	Complete
Biodegradability	Complete
Minimum Bacterial Count	75 billion/gal
Shelf Life	6 months
pH	7
Temperature Range	50-110 F

MATERIAL SAFETY DATA SHEET

For information concerning typical properties, health hazard, flammability, reactivity, please consult the safety data sheet.

PACKAGING

55 gallon plastic drums, or 5 gallon pails.

REMARKS

The information and statements herein are believed to be reliable, but are not to be construed as warranty or representation for which we assume legal responsibility.

For **Medical and Transportation Emergencies** involving WET products call (24-hour response): **(800)535-5053**

Revision Date: September 2007